

3 NIGHTS - 4 DAYS
PHUKET THAILAND KET

FROM **17,999**
Per Person | Min 06 Pax

Inclusions

3 STAR HOTEL STAY | DAILY BREAKFAST
PHUKET CITY TOUR | PHI PHI ISLAND TOUR (SIC TRANSFERS)
PHUKET FANTASEA SHOW (EVERY WEDNESDAY & SATURDAY)

Travel in the month of October | Book before 30th September

We are just a call away
9392 548 567

www.gopagoaholidays.com



WEUHA
SMART SIGNAGE

**350NITS ANDROID SOC NON-TOUCH
FREE STANDING**

350NITS ANDROID SOC NON-TOUCH FREE STANDING

DESCRIPTION

Our floor stand digital signage offers a state-of-the-art advertising solution, controlled via cloud management software for seamless operation. With FHD and UHD resolution options, 350 nits of customizable brightness, and durable tempered glass protection, these displays are perfect for high-traffic environments like supermarkets, airports, and malls. Featuring an Android SoC, built-in speakers, and HDMI support, they deliver engaging multimedia content—including images, text, videos, and interactive plug-ins—making them ideal for effective communication in public spaces.



SPECIFICATION

| | | | | | | | |
|---------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Size | 32 Inch | 43 Inch | 49 Inch | 55 Inch | 65 Inch | 75 Inch | 86 Inch |
| Native Resolution | 1920x1080 | 1920x1080 | 1920x1080 | 1920x1080 | 1920x1080 | 3840x2160 | 3840x2160 |
| LCD Tech. | ADS | ADS | ADS | ADS | ADS | ADS | ADS |
| Aspect Ratio | 16:9 | 16:9 | 16:9 | 16:9 | 16:9 | 16:9 | 16:9 |
| Brightness (module) | 350 cd/m ² | 350 cd/m ² | 350 cd/m ² | 350 cd/m ² | 350 cd/m ² | 350 cd/m ² | 350 cd/m ² |
| Contrast | 1200:1 | 1200:1 | 1200:1 | 1200:1 | 1200:1 | 1200:1 | 1200:1 |
| View Angle | 178°(H) / 178°(V) | 178°(H) / 178°(V) | 178°(H) / 178°(V) | 178°(H) / 178°(V) | 178°(H) / 178°(V) | 178°(H) / 178°(V) | 178°(H) / 178°(V) |
| Display Color | 16.7M (8bits-true) | 16.7M (8bits-true) | 16.7M (8bits-true) | 16.7M (8bits-true) | 16.7M (8bits-true) | 16.7M (8bits-true) | 16.7M (8bits-true) |
| Response Time | 8ms | 8ms | 8ms | 8ms | 8ms | 8ms | 8ms |
| Life Time (Light Source) | 30,000 Hrs(Min) | 30,000 Hrs(Min) | 30,000 Hrs(Min) | 30,000 Hrs(Min) | 30,000 Hrs(Min) | 30,000 Hrs(Min) | 30,000 Hrs(Min) |

INTERNAL PLAYER

| | | | | | | | |
|----------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| O/S | Android 9.0 | Android 9.0 | Android 9.0 | Android 9.0 | Android 9.0 | Android 9.0 | Android 9.0 |
| CPU | RK 3288,Cortex-A17@1.8GHz | RK 3288,Cortex-A17@1.8GHz | RK 3288,Cortex-A17@1.8GHz | RK 3288,Cortex-A17@1.8GHz | RK 3288,Cortex-A17@1.8GHz | RK 3288,Cortex-A17@1.8GHz | RK 3288,Cortex-A17@1.8GHz |
| RAM/ROM | 2GB / 16GB | 2GB / 16GB | 2GB / 16GB | 2GB / 16GB | 2GB / 16GB | 2GB / 16GB | 2GB / 16GB |

| | | | | | | | |
|-------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Input | 2xUSB / 1xHDMI / 1xRJ45 | 2xUSB / 1xHDMI / 1xRJ45 | 2xUSB / 1xHDMI / 1xRJ45 | 2xUSB / 1xHDMI / 1xRJ45 | 2xUSB / 1xHDMI / 1xRJ45 | 2xUSB / 1xHDMI / 1xRJ45 | 2xUSB / 1xHDMI / 1xRJ45 |
| Networks | LAN / WIFI / Bluetooth | LAN / WIFI / Bluetooth | LAN / WIFI / Bluetooth | LAN / WIFI / Bluetooth | LAN / WIFI / Bluetooth | LAN / WIFI / Bluetooth | LAN / WIFI / Bluetooth |
| Built-In Speaker | 2 × 10W(8Ω) | 2 × 10W(8Ω) | 2 × 10W(8Ω) | 2 × 10W(8Ω) | 2 × 10W(8Ω) | 2 × 10W(8Ω) | 2 × 10W(8Ω) |

POWER


| | | | | | | | |
|--------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| Power supply | AC 100~240V 50/60Hz | AC 100~240V 50/60Hz | AC 100~240V 50/60Hz | AC 100~240V 50/60Hz | AC 100~240V 50/60Hz | AC 100~240V 50/60Hz | AC 100~240V 50/60Hz |
| Power consumption | ≤ 60W | ≤ 80W | ≤ 120W | ≤ 120W | ≤ 150W | ≤ 200W | ≤ 280W |

ENVIRONMENT

| | | | | | | | |
|------------------------------|------------|------------|------------|------------|------------|------------|------------|
| Operation temperature | 0°C~50°C | 0°C~50°C | 0°C~50°C | 0°C~50°C | 0°C~50°C | 0°C~50°C | 0°C~50°C |
| Operation humidity | 20%~80% RH | 20%~80% RH | 20%~80% RH | 20%~80% RH | 20%~80% RH | 20%~80% RH | 20%~80% RH |


PHYSICAL

| | |
|---|-----------------|
| Size | 32 Inch |
| Color | White/Black |
| Tempered Glass | Yes |
| Body Dimension w/o Stand(H) x(V) x (D) (mm) | 446 x 1645x 53 |
| Body Dimension with Stand(H) x(V) x (D) (mm) | 446x 1699 x 400 |
| Set Weight(kg) | 30 |
| Package Dimension(H) x(V) x (D) (mm) | 583x1755x168 |
| Package Weight(kg) | 36 |




PHYSICAL

| | |
|---|-----------------|
| Size | 43 Inch |
| Color | White/Black |
| Tempered Glass | Yes |
| Body Dimension w/o Stand(H) x(V) x (D) (mm) | 583 x1730x53 |
| Body Dimension with Stand(H) x(V) x (D) (mm) | 598x 1786 x400 |
| Set Weight(kg) | 36.8 |
| Package Dimension(H) x(V) x (D) (mm) | 720 x 1860 x155 |
| Package Weight(kg) | 43.37 |



PHYSICAL

| | |
|---|----------------|
| Size | 49 Inch |
| Color | White/Black |
| Tempered Glass | Yes |
| Body Dimension w/o Stand(H) x(V) x (D) (mm) | 658 x1800x53 |
| Body Dimension with Stand(H) x(V) x (D) (mm) | 672x 1865 x450 |
| Set Weight(kg) | 42 |
| Package Dimension(H) x(V) x (D) (mm) | 790 x1920 x170 |
| Package Weight(kg) | 49 |



PHYSICAL

| | |
|---|------------------|
| Size | 55 Inch |
| Color | White/Black |
| Tempered Glass | Yes |
| Body Dimension w/o Stand(H) x(V) x (D) (mm) | 734 x 1860 x 53 |
| Body Dimension with Stand(H) x(V) x (D) (mm) | 749 x 1905 x 480 |
| Set Weight(kg) | 48.5 |
| Package Dimension(H) x(V) x (D) (mm) | 870x 1970 x 170 |
| Package Weight(kg) | 55.8 |




PHYSICAL

| | |
|--|-----------------|
| Size | 65 Inch |
| Color | White/Black |
| Tempered Glass | Yes |
| Body Dimension w/o Stand(H) x(V) x (D) (mm) | 867x 2000 x 53 |
| Body Dimension with Stand(H) x(V) x (D) (mm) | 872x 2055 x 500 |
| Set Weight(kg) | 61 |
| Package Dimension(H) x(V) x (D) (mm) | 990x2120 x 165 |
| Package Weight(kg) | 69.57 |




PHYSICAL

| | |
|--|--------------------|
| Size | 75 Inch |
| Color | White/Black |
| Tempered Glass | Yes |
| Body Dimension w/o Stand(H) x(V) x (D) (mm) | 1006.5x 2100 x 130 |
| Body Dimension with Stand(H) x(V) x (D) (mm) | 1007x 2165 x 560 |
| Set Weight(kg) | 69 |
| Package Dimension(H) x(V) x (D) (mm) | 1116x2212x255 |
| Package Weight(kg) | 76 |



PHYSICAL

| | |
|---|--------------------|
| Size | 86 Inch |
| Color | White/Black |
| Tempered Glass | Yes |
| Body Dimension w/o Stand(H) x(V) x (D) (mm) | 1132.5x 2300 x 130 |
| Body Dimension with Stand(H) x(V) x (D) (mm) | 1133x 2363.1 x600 |
| Set Weight(kg) | 79 |
| Package Dimension(H) x(V) x (D) (mm) | 1330x2565x260 |
| Package Weight(kg) | 86 |



APPLICATION



FINANCE



EDUCATION



RETAIL



PROPERTY
MANAGEMENT



RESIDENCIAL



HEALTH CARE



GOVERNMENT



PUBLIC FACILITIES



ENERGY



ENTERPRISE